Applicant Initiated Interview Request Form					
Application No.: 10/849571		First Named App	Weidong Zhu	eidong Zhu	
Examiner: Michael P. Nghiem		Art Unit: 2863	Status of Applic	ation: F	inal
Tentative Participants	s:				
(1) William Pegg		(2) Weidong Z	Zhu	<u> </u>	
(3) Michael P. Nghiem		_ (4)		<u> </u>	
Proposed Date of Inte	rview: 7/16/08	Pr	12:0 oposed Time: Noo		
Type of Interview Rec	_				
(1) Telephonic	(2) X Personal	(3) Vie	deo Conference		
Exhibit To Be Shown		YES	NO		
If yes, provide brief do	escription:				
Issues To Be Discussed					
Issues (Rej., Obj., etc)	Claims/ Fig. #s	Prior Art	Discussed	Agreed	Not Agreed
(===g-, = =g-, ===)	g				
35 U.S.C. §		Weiss et al. (US			
(1) 102(e)	15, 47, 49, 60	2003/0013541)			
Continuation S	Sheet Attached				
disclosed and clair	ully traverses the 35 med invention with th	nted: U.S.C. § 102 rejection one Examiner. Applicant spedients to prosecution	further desires to discu		
An interview was conducted on the above-identified application on .					
NOTE: This form should be §713.01).	completed by applica	ant and submitted to th			
		d to file a statement of t			
/Williar	n D. PEGG, Reg. #42,	988/			
Applicant/Applicant's Representative Signature			Examine	er/SPE Signature	
William Pegg Typed/Printed Name of Applicant or Representative					
Typed/Printed N	rame of Applicant of i	Representative			
	42,988				
Registra	ation Number, if appli	icable			

11082815.1 266923/000007USPT

FOR DISCUSSION PURPOSES ONLY

Application No. 10/849571 Applicant: Weidong Zhu Filed: May 20, 2004

Title: System and Method For Detecting Structural Damage

Art Unit: 2863

Examiner: Michael P. Nghiem Docket No. 266923-00007USPT

Proposed Interview Time: July 16, 2008 12:00-1:00 PM EST

<u>Draft of Proposed Amendments for Claims 15, 47, 49, and 60</u> (for Discussion Purposes Only)

15. (Currently Amended) A system for determining damage information of a structure, comprising:

a sensor arranged to measure vibrations of <u>said a structure having a lengthwise dimension</u> <u>much greater in magnitude than cross-sectional dimensions thereof</u> and <u>to output vibration</u> information;

a stiffness parameter unit for receiving said vibration information, determining natural frequency data of said structure, and determining the stiffness parameters of said structure using said natural frequency data; and

a damage information processor for receiving said stiffness parameters and outputting damage information comprising at least spatial damage information on said structure, said spatial damage information comprising a damage location along said lengthwise dimension of said structure.

47. (Currently Amended) A system for determining stiffness parameters of a structure, comprising:

a sensor arranged to measure vibrations of said structure and output vibration information;

a stiffness parameter unit for receiving said vibration information, determining natural frequency data of said structure, and determining the stiffness parameters of said structure using said natural frequency data; and

wherein said stiffness parameter unit comprises an iterative processing unit that determines said stiffness parameters using a first order perturbation process eigenvalue sensitivity analysis and one of the generalized inverse method, gradient method, or quasi-Newton method.

- 49. (Currently Amended) A system for determining stiffness parameters of a structure, comprising:
- a sensor arranged to measure vibrations of said structure and output vibration information; and
- a stiffness parameter unit for receiving said vibration information and determining said stiffness parameters with an iterative processing unit;

wherein said stiffness parameter unit comprises an iterative processing unit that determines said stiffness parameters using a first order perturbation process eigenvalue sensitivity analysis.

- 60. (Currently Amended) A system for determining stiffness parameters of a structure, comprising:
- a sensor arranged to measure vibrations of said structure and output vibration information; and
- a stiffness parameter unit for receiving said vibration information, determining mode shape information, and determining the stiffness parameters of said structure using said mode shape information;

wherein said stiffness parameter unit comprises an iterative processing unit that determines said stiffness parameters using a first order perturbation process eigenvector sensitivity analysis.

11082815.1 247079/000199USPT